

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	546	((linear OR sequential) NEAR4 Search\$6) and (tree with index \$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/27 16:27
L2	0	((linear OR sequential) NEAR4 Search\$6) and (tree with index \$5) and (707/609,616,621,641.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/27 16:28
L4	105	((linear OR sequential) NEAR4 Search\$6) WITH (record or row or data or list) and (tree with index\$5) and (1/1.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/27 16:29
L5	93	((linear OR sequential) NEAR4 Search\$6) WITH (record or row or data or list) and (tree with index\$5) and (1/1.ccls.) and database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/27 16:29
L6	73	((linear OR sequential) NEAR4 Search\$6) WITH (record or row or data or list) and (tree with index\$5) and (1/1.ccls.) and database with (record or row or table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/27 16:30
L7	8	((linear OR sequential) NEAR4 Search\$6) WITH (record or row or data or list) with (small or short or few) and (tree with index\$5) and (1/1.ccls.) and database with (record or row or table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/27 16:32
S1	2753	(different with database) and (tree NEAR5 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 15:45
S2	0	(search\$6 OR find\$5 OR quer \$5) NEAR5 (different with database) and (tree NEAR5 database) and (non\$tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 15:46

S3	214	(search\$6 OR find\$5 OR quer\$5) NEAR5 (different with database) and (tree NEAR5 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 15:46
S4	12	(search\$6 OR find\$5 OR quer\$5) NEAR5 (different with database) and (tree NEAR5 database) AND ((linear OR sequential) NEAR4 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 15:47
S5	21	(search\$6 OR find\$5 OR quer\$5) NEAR5 (different with database) and ((hierarchical OR tree) NEAR5 database) AND ((linear OR sequential) NEAR4 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 15:48
S6	239	non\$tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 15:56
S7	0	non\$tree NEAR2 index\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 15:57
S8	0	non-tree NEAR2 index\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 16:06
S9	1	non\$tree with index\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 16:06
S10	2	"10586534"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 16:07
S13	1	"10586534" and update with index\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 16:30
S16	3	(data or information or record or POI or (point NEAR3 interest \$5)) NEAR4 indexed with alphabetical order	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 16:34

S17	3	"20020013657"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 16:40
S18	1	"10586534" and non-target index	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 16:54
S19	1	"10586534" and non-target index and flag	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 16:55
S20	48	((linear OR sequential) NEAR4 database) same tree with index \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 17:09
S21	18	((linear OR sequential) NEAR4 database) with tree with index \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 17:09
S22	4	(20020013658 20030028316 20020052894 6980907).pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 18:55
S23	0	(20020013658 20030028316 20020052894 6980907).pn. and sky	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 18:56
S24	0	(20020013658 20030028316 20020052894 6980907).pn. and key	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 18:56
S25	0	updat\$10 with poi with separat \$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:14
S26	19	updat\$10 with poi with (seperat \$10 OR different\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:14
S27	0	updat\$10 with poi with (seperat \$10 OR different\$10) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:16
S28	19	updat\$10 with interest\$6 with (seperat\$10 OR different\$10) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:16

S29	5	updat\$10 with interest\$6 NEAR3 point with (seperat\$10 OR different\$10) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:16
S30	0	updat\$10 with interest\$6 NEAR3 point with (TWO) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:17
S31	0	updat\$10 with interest\$6 NEAR3 point with (second\$4) NEAR4 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:18
S34	6151	updat\$10 with (record or data) with (second\$4 or different or seperat\$5) NEAR2 (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:19
S35	42	updat\$10 with (record or data) with (second\$4 or different or seperat\$5) NEAR2 (database or storage or memory) and (poi or point NEAR2 interest)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:19
S36	40	updat\$10 NEAR4 (record or data) NEAR5 (second\$4 or different or seperat\$5) NEAR2 (database or storage or memory) and (poi or point NEAR2 interest)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:20
S38	8	updat\$10 NEAR4 (record or data) NEAR5 (second\$4 or different or seperat\$5) ADJ (database or storage or memory) and (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:21
S39	1	updat\$10 NEAR4 (record or data) NEAR5 (temporary) ADJ (database or storage or memory) and (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:29
S40	136	updat\$10 NEAR4 (record or data) NEAR5 (temporary) ADJ (database or storage or memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:30
S41	25	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or seperat \$10 or different) ADJ (database or storage or memory) AND (tree with database) AND (linear or sequential)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 19:33

S42	0	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) AND (tree with database) AND (linear or sequential) NEAR2 search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 20:05
S43	3	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) AND (linear or sequential) NEAR2 search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 20:05
S44	3	updat\$10 NEAR4 (record or data) NEAR5 (temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) AND (linear or sequential or ISAM) NEAR2 search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 20:06
S45	43	(temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 20:06
S46	7	(temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search\$10 AND (tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/26 20:07
S47	2	("20060190507") and search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:33
S48	1	"6980907".pn. and cach\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:44
S49	0	"6980907".pn. and cach\$6 with search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:44
S50	0	"6980907".pn. and cach\$6 same search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:44

S51	1	"6980907".pn. and cach\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:45
S52	1	"6980907".pn. and dynamic with search\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:46
S53	1	"6980907".pn. and search\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:47
S54	1	"6980907".pn. and (search\$10 or find\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:47
S55	1	"6980907".pn. and (search\$10 with ("102" OR "103" OR "104"))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:48
S56	0	"6980907".pn. and (search\$10 with "201")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:49
S57	0	"6980907".pn. and (search\$10 same "201")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:49
S58	61	(search\$10 or find\$10) NEAR3 differential data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:50
S59	0	(search\$10 or find\$10) NEAR3 differential data AND (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2011/07/26 20:50
S60	1	(search\$10 or find\$10) NEAR3 differential data AND (poi or (point NEAR2 interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/07/26 20:50
S62	3	(7158996 6792432 20020046209).pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/27 13:38

S64	564	search\$10 with scan\$6 NEAR3 (row or record)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/27 13:43
S65	404	search\$10 NEAR5 scan\$6 NEAR3 (row or record)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/27 13:45
S66	0	search\$10 NEAR5 scan\$6 NEAR3 (row or record) NEAR5 (each or by)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/27 13:45
S67	0	search\$10 NEAR5 scan\$6 NEAR3 (row or record) NEAR5 ("each" or "by")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/27 13:45
S68	0	search\$10 same scan\$6 NEAR3 (row or record) NEAR5 ("each" or "by")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/27 13:45
S69	9	(temporary or second\$4 or temp or separat\$10 or different) ADJ (database or storage or memory) same (linear or sequential or ISAM) NEAR2 search\$10 AND (tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/27 13:47
S70	8	search\$10 same scan\$6 NEAR3 (row or record) NEAR5 (short or small)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/27 13:57
S72	740	(search\$10 OR scan\$6 OR sequential) NEAR3 (row or record or list) NEAR5 (short or small)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/27 13:58
S75	35	(scan\$6 OR sequential) NEAR3 (row or record or list) NEAR5 (short or small) and ("707"/\$.ccls. or 1/1.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/07/27 14:01

7/ 27/ 2011 4:35:33 PM